

Deep Dive for Solar Project Disclosure Form

PPA Project

The below images are of a sample solar Disclosure Form for **residential** PPA projects in the **ComEd or Ameren** service territories. If your project is in **another utility service territory** or is for a **non-profit or public facility**, your Disclosure Form may look slightly different. Significant differences between the various forms are noted below. See the glossary for helpful terms and definitions.

Your Disclosure Form has a unique identification number. This helps Illinois Solar For All ("ILSFA") track each form. If you contact the Program Administrator with questions, they may ask you for your Disclosure Form ID number.

Contact Information

The customer information provides the address where the solar project will be installed.

The Approved Vendor is the entity that will submit an application for the solar project to participate in ILSFA. The Approved Vendor might also be the Project Owner and/or Installer, or the Approved Vendor may work with other companies, called Designees, to do marketing, sales, installation, and other work.

The Project Owner is the entity that you sign a contract with to buy the electricity from the solar project. You may also need to sign a contract with the Approved Vendor agreeing to sell the Renewable Energy Credits ("RECs") generated by the solar project to the Approved Vendor. The Approved Vendor then sells the RECs to a utility in exchange for an incentive payment.

If the Project Owner has selected an installer at the time that they generate your Disclosure Form, the Disclosure Form will include the Project Installer's contact information. If the Project Owner has not yet selected an installer, they will list 3 different companies that might do the installation work.

🔾 🗎 Illinois Solar for All

Residential Solar Project Disclosure Form

Power Purchase Agreement, Ameren or ComEd Service Territory

Illinois Solar for All ("ILSFA") is a state solar incentive program. An installer or other vendor is required to provide you with this disclosure form so that you have accurate information about the solar project, including its size, cost, operations, warranties, and francial barrefits. More information about the solar project, including its size, cost, operations, understanding your disclosure form is available at <u>UlinoisSFA conformation about the solar projections</u>.

Disclosure-17153 - PY7

You are entering into a Power Purchase Agreement ("PPA") to buy electricity generated by a solar project installed on your property, another party will own that solar project. **Carefully read your contract before signing**. You may want to **compare offers** from multiple installers or Approved Vendors. You should take whatever time you need to shop around and to fully understand the contract before signing.

You may rescind your PPA by contacting the project owner within the period allowed by your contract or law, which cannot be less than fourteen calendar days.

If you are unable to resolve a complaint with your installer or Approved Vendor, you may contact the Illinois Solar for All Program Administrator by emaining <u>InStallinoisELFL com</u> or by calling (880 Y70-ISFA 44722). If you have been subject to fraudulent or deception sales practices, the Computer Protection Division of the Illinois Attorney Generals office may also be able to help: call (800 245 0616 or visit <u>linoisationney general gov/File A Complaint</u>). Contact Information

Humb	Cathy Customer		Legal Name	Project Owner
Address	123 Customer Court, Chicago, IL 60603		Name used for Marketing	Solar4U
Phone	(312) 123-1234		Address	123 Solar Street, Rockford, IL 61020
Email	customer@email.com			
Service Utility	Ameren		Phone	(815) 123-1234
			Email	solar4u@email.com
Project Type	Residential (small)	11		
Legal Name	Approved Vendor, LLC		Legal Name	Project installer, inc.
Legal Name Name used	Approved Vendor, LLC		Legal Name Name used	Project Installer, Inc. Solar Installerz
for Marketing			for Marketing	
Address	123 Vendor Ave., Chicago, IL 60601		Address	123 Installer Extension, Peoria, IL 6152
Phone	(312) 345-6789	11	Phone	(309) 123-1234
Email	approvedvendorllc@email.com		Email	installer@email.com



Power Purchase Agreement ("PPA") re-17153 - PV7 **Illinois Solar for All** Information er Purchase Agreement ("PPA") Information There are no upfront costs before the project starts generating electricity 15 year(s) and 0 month(s Length of contract This section is very important, as it lays out the costs that you will 0.0 pay for the solar project. This includes the rate you will pay for electricity (which may increase over time) and any fees that will \$ 0.06250 /kWh Rate \$ 0.08250 /kWh necessarily apply, such as maintenance fees. 15844.29 When is the payment PPA 30 days afte /hen is the payment These costs and fees are listed out separately and then totaled One-time start-up fee \$ 5.00 30 days afte \$ 5.00 up. The cost for the PPA payments is an estimate because the 0.00 actual costs will depend on how much electricity the solar project \$ 0.00 produces. \$ 15849.29 For solar projects serving single-family and small multi-family buildings (2-4 units), there must not be any upfront costs before the check payment boun solar project starts generating electricity. Illinois Solar for All Incentive Payment Expected value of incentive payment that will be received by the the solar project if accepted into Illinois Solar for All (acceptance is the PPA contingent upon selection for the Illinois Solar for All in \$ 37810.85 There are 2 sections for fees in the Disclosure Form. One section lists "Payment or Fee." These are charges that you will be required Page 2 of 6 to pay and are included in the "Total Amount Paid." The second section lists "Other fees that may apply" —this section

is for fees that *might* apply, but are dependent on things that haven't happened yet. This includes things like late payment fees or returned check fees—in this example, if you do not make a late payment or bounce a check, you will not have to pay these fees

Illinois Solar for All Incentive Payment

Your Approved Vendor will sell the Renewable Energy Credits ("RECs") generated by the solar project to a utility in exchange for an ILSFA incentive payment. The amount of the incentive payment is disclosed here. This incentive payment helps the Approved Vendor pass savings on to you.



Project Design Specifications

This section gives information about the design of your solar project.

The estimated customer electricity usage is based on your expected usage going forward. If it differs from your historical usage, your solar company will explain the difference at the end of the Disclosure Form in the "Additional Information" section. For example, if you plan to purchase an electric vehicle or install a heat pump, your expected electricity usage may increase. You can compare your expected electricity usage to the estimated generation from the solar project to determine if it is sized correctly for you. You can also check your utility bills to confirm historical usage.

The percentage listed for "% offset by solar project" compares the overall annual generation from your solar project to your overall expected annual usage. (This is different from the percentage of electricity that is used directly onsite, which is used for calculating the value of the electricity.) The percentage of energy offset by your solar project does not necessarily translate to the percentage you will save on your electricity bill. Note that even if your annual electricity generation from the solar project matches your annual usage with an offset percentage of 100%, at times you will likely be drawing electricity from the grid (for example, at night) and at times you will be sending electricity to the grid (when your solar project produces more power than you are using at that exact time).

Some solar projects include a battery. Adding a battery increases the capital costs, but can maximize the amount of electricity generated from the solar project that is used directly onsite (rather than sent back to the grid). Using more electricity directly onsite generally creates more economic value than sending electricity back to the grid. Solar projects with batteries can also be set up to allow you to use your system during a grid outage. Solar projects without batteries cannot be used for back-up power during a grid outage.

Project Performance

This section helps you understand how well the solar project will perform and whether it is sited properly for maximum performance. The range for "typical" ILSFA solar projects is calculated by using the "bell curve." The range for "typical" projects shown on your Disclosure Form reflects the middle 68% of projects (one standard deviation above and below the median). In other words, a "typical" project falls in between the 16th and the 84th percentile.

If the *project* has lower performance, make sure you understand why this is and whether you will still see the benefits you are expecting from the solar project. It may be that your property or building is not well-suited for solar. Note that projects in northern Illinois generally have lower performance than projects in southern Illinois because the sun's rays are less direct the further north a project is.





Net Metering

The following description of net metering policies only applies if your project was approved for net metering on or after January 1, 2025, and if your electric utility is ComEd, Ameren, or MidAmerican. If your utility is a municipality, a rural co-operative, or Mt. Carmel, your Disclosure Form will contain information in this section that explains how your utility or electric co-operative will credit you for electricity that your project sends back to the grid.

If your solar project makes more electricity than you are using at that time, the excess electricity flows to the grid. Net metering credits you for this excess electricity that your solar project sends to the utility electric grid. On the other hand, if you use more electricity than your project is generating at any point in time, you will pull electricity from the grid.

Your utility will "net out" the extra electricity supply that your project sends to the grid against the electricity that you pull from the grid. For example, if your solar project sends 400 kWh of extra electricity to the grid, and you use 500 kWh of electricity from the grid, your net usage would be 100 kWh. Supply and transmission charges are then calculated based on that net usage. If you send more power to the grid than you pull from the grid, you will receive a credit on your bill for that electricity. Unless you are on hourly pricing (where your electricity rate changes each hour), you can choose whether you want to be credited in kWh (which will then reduce the kWh for which you are charged supply charges in future months), or with monetary credits applied to your bill (calculated based on your electric supply rate). If you have extra credits in a billing period, those credits will rollover to the next month, and will not expire as long as you maintain your net metering account with the same utility.

For hourly or real-time pricing customers, the net amount of electricity sent to or pulled from the grid will be calculated for each hourly period and a monetary charge or credit calculated for each hour. Then the charges and credits will be totaled for the billing period, and a final charge or credit will be applied.

Your electric delivery charges are not included in net metering. This means that you will pay delivery charges and any applicable taxes/ other charges for the entire amount of electricity that you pull from the grid, regardless of how much electricity you send back to the grid. You will also have non-volumetric (not based on kWh used) customer charges and fees on your bill.

If you receive energy supply from an Alternative Retail Electric Supplier (ARES) but your electricity is delivered by ComEd, either ComEd or the ARES will be responsible for net metering calculations and billing. If your electricity is delivered by Ameren, your ARES will determine whether they or Ameren will be responsible for net metering calculations and billing. If your electricity is delivered by MidAmerican, the ARES will be responsible for net metering calculations and billing. If you switch to a new electricity supplier, make sure to ask the new supplier if any accumulated net metering credits will be carried over and applied by the new supplier.

Disclosure-17153 - PY7 **Illinois Solar for All** Project Installation Estimated start date of projec Estimated completion date of project installation Estimated date for owner to furnish a mechanic Yes - Project owner may be able to take por Will project owner file a or "fixture" filing statement? **Project Design Specifications** Project size (size of project as built may vary by the greater of 1 kW or 5%) 11.70 kW AC 13.0 Estimated total annual electricity production in first yea Estimated annual customer usage kWh kWh tric usage covered by the solar project Expected life of the project years unting locati Will project include a battery for energy storage? If so, what size? 5 kWh Yes Project Performance roject's performance can be affected by the type of solar panel and the placement of the panels. For example, solar panels not face south, are at too steep or flat of an angle, or are shaded will not produce as much electricity. The capacity factor a project's expected production and can be used to compare design and expected performance between project processing that do not reflects a pr Your project's estimated capacity factor for the first 15 years is: 16,4900 % 1 2 3 4 5 6 7 8 7 10 11 12 13 44 15 16 17 16 19 20 21 22 23 24 25 26 27 28 29 39 Low performance USPA solar projects typically have a capacity factor of about 12.8% - 17.3% Explanation: Light shading in the morning from oak tree in front yard Net Metering You may be eligible for net metering, which credits your electric bill for excess generation from your solar project. Net mete credits can have a significant impact on the financial benefits of your solar project. For more information on net metering, is credit amounts, how credits rule war, and whether credits aving a sellingistic the metering metering in the sellingistic the the The owner, installer, or Approved Vendor will submit a net metering application to your electric utility **Utility Rebates** ComEd and Ameren offer rebates for solar projects that have smart inverters (referred to as the Distributed Gen Smart Inverter rebate) and for projects with energy storage (batteries). Projects may be eligible for either or both Residential and small commercial customers in ComEd territory who take the energy storage rebate must <u>aign up fi</u> <u>pricing</u> uppy service from ComEd. Residential and small commercial customers in Ameren territory who take the program the required to <u>permentity take</u> either supply service from Ameren under an hourly rate schedu participate in Ameren's demand response program. Will the project take the energy storage rebate for the battery? Will the project take the Distributed Generation rebate for the solar project? Yes \$ 390 \$ 150 Who keeps the rebate payment Approved Vendor Approved Vendor Page 3 of 6



Utility Rebates

The "Utility Rebate" section is included on Disclosure Forms for customers in ComEd and Ameren service territories. Both ComEd and Ameren offer utility rebates for having a distributed generation system (such as a solar project). ComEd refers to this rebate as the Distributed Generation (DG) rebate and Ameren refers to this rebate as the Smart Inverter rebate. Both utilities also offer a separate utility rebate for having energy storage (such as a battery) that is associated with a distributed generation project. If their systems qualify, residential customers are eligible for a distributed generation rebate of \$300/kW based on the solar project's DC size, and a battery rebate of \$300/kWh based on the battery size. These rebates are separate from the Illinois Solar For All program. The value of the rebate may change when future rebate values are established through a proceeding before the Illinois Commerce Commission. Make sure you understand your utility's terms and conditions for taking the rebate, and make sure you understand who will keep the rebate (you or someone else).

For ComEd customers, if you're a residential or small commercial customer and you take the storage rebate, be aware that you and any successor customers at that location must sign up for realtime pricing supply service from ComEd. Larger commercial and industrial customers who take the storage rebate will be required to participate in one or more programs offered through ComEd's Multi-Year Integrated Grid Plan.

For Ameren customers, if you take a rebate for the storage device, be aware that you and the successor customers at your location will be required to permanently take either supply service from Ameren under an hourly rate schedule or participate in Ameren's demand response program. There may be additional optional programs offered in the future for customers receiving a rebate for a storage device.

Project Operations, Maintenance, Warranties, and Guarantees

All ILSFA contracts must include a full system warranty, as well as operations and maintenance guarantees for 15 years, at no additional cost to participants. Some sellers may offer longer warranties or guarantees. Some types of damage may not be covered; make sure you understand whether you are responsible for obtaining additional insurance coverage.

If You Move

If you move out of your home during the term of your PPA, your solar agreement must provide you with the options of transferring your PPA to the new homeowner or buying out your PPA. This section provides information about the specific terms that your PPA contains with respect to each option.

If you already own your solar project when you move (for example, if your project is part of the Energy Sovereignty sub-program), you may have obligations to ensure that the new homeowners grant system access to the Approved Vendor so that the Renewable Energy Credits continue to be transferred. Reach out to your Approved Vendor before you move so they can help you through the process.

😽 🗧 Illinois Solar fo	or All			Disclosure-	17153 - PY	7
Project Installation						
Estimated start date of project installation	n	5/5/2025				
Estimated completion date of project ins	tallation	5/9/2025				
Estimated date for owner to furnish a me	chanic's lien waiver	Yes				
Will project owner file a Uniform Commer "fixture" filing statement?	rcial Code-1	Yes - Project project if you	owner may be a oreach your cor	able to take p ntract.	ossession	of solar
Project Design Specifications	3					
Project size (size of project as built may v	ary by the greater of	1 kW or 5%)	11.70	kW AC	13.00	kW
Estimated total annual electricity produc	tion in first year		17500			kW
Estimated annual customer usage			12500			kW
Percentage of electric usage covered by t	he solar project		140.00	%		
Expected life of the project			20			yea
Mounting location			Roof			
Will project include a battery for energy	storage? If so, what s	ize?	Yes		5	kW
Project Performance can be affect that do not face south, are at too steep or reflects a project's expected production an Your project's existinated capacity factor (2 2 3 4 5 6 7 8 9 10 Loby performance Explanation: Light shading in the morning from cak tree in	ed by the type of sola flat of an angle, or and d can be used to comp for the first 15 years in 111 12 13 14 15 ects typically have a in front yard	r panel and the e shaded will n pare design and is: 16,4900 % 16 17 18 capacity factor	placement of f ot produce as i d expected per 19 20 21 2: of about 12.8	the panels. F much electri formance be 2 23 24 2 3% - 17.3%	for example icity, The c stween pro 25 26 27 High per	e, solar p apacity 1 ject prop 28 29 formanc
Project Performance Asaler projects performance can be affect that do not face south, are at too steep or reflects a project sequencing modulation an Your project's estimated capacity factor f a south of a south of a south of a south to performance I a i a i a z i a south of a south of a south Perplanation: Light shading in the morning from oak tree in	ed by the type of sola flat of an angle, or ar d can be used to come for the first 15 years i 11 12 13 14 15 ects typically have a n front yard	r panel and the e shaded will n pare design and 16 17 18 capacity factor	placement of 1 ot produce as i l expected per 19 20 21 21 of about 12.8	the panels, F much electri formance be 2 23 24 2 3% - 17.3%	or examplicity. The c etween pro 25 26 27 High per	e, solar ; apacity ject prop 28 25 formand
Project Performance and be affect that do not face south, are at too steep or reflects a project sequencity found what no reproject's estimated capacity factor and a sequence of the sequence of the sequence of the sequence of the sequence sequence of the sequence of the sequence sequence of the sequence of the sequence of the sequence of the sequence of the sequence of the sequence of the sequence of the sequence of the sequence of the sequence of the sequence of the sequence of the sequence of the sequence of the sequen	ed by the type of sola flat of an angle, or are d can be used to or any or the first 15 years i 111 12 13 14 15 ects typically have a n front yard	r panel and the e shaded will n pare design and 16 17 18 capacity factor	placement of 1 ot produce as 1 9 expected per 19 20 21 22 of about 12.8	the panels. F much electri formance be 2 23 24 2 8% - 17.3%	or example icity. The c etween pro 25 26 27 High per	e, solar p apacity f ject prop 28 29 formand
Project Performance and a solar project spectromance can be affect that do not faces acuth, are at too steep or flects a project's estimated capacity factor f lector and the spectra spectra spectra spectra spectra spectra spectra spectra Light shading in the morning from oak tree in Net Metering Net Metering Net Metering in the moting input on the redit anount, how redits roll ower, and w	ed by the type of sola flat of an angle, or an d can be used to com or the first 15 years i iii 1 1 3 1 4 15 exts typically have a n front yard credits your electric b financial benefits of yre	r panel and the e shaded will n pare design and is: 16,4900 % 16 17 18 capacity factor bill for excess gr pur solar project	placement of 1 of produce as in a expected per 10 20 21 2 of about 12.8 eneration from t, For more inform	the panels. F much electri formance be 2 23 24 2 % - 17.3% your solar pr ormation on r - protection	ror example icity. The c stween pro- 25 26 27 High per High per roject. Net net meteri is	e, solar ; apacity : ject prop 28 29 formand formand meterin ng, inclu
Project Performance A solar projects performance can be affect that do not face south, are at too steep or traffects a project sequected production an Your project's estimated capacity factor 1 2 3 4 4 6 2 7 16 9 10 9 10 9 10 9 10 9 10 9 10 9 10 9	ed by the type of sola flat of an angle, or ar (an he used to com or the first 15 years i 11 12 13 14 15 ts typically have a n front yard credits your electric b financial benefits of y hether credits spice	r panel and the e shaded will n pare design anc is: 16,4900 % 16 17 18 capacity factor bill for excess ge our solar project see [[linoisSFA application to y	placement of 1 of produce as is d expected per 19 20 21 22 of about 12.8 eneration from t, For more info com/consume	the panels. F much electri formance be 2 23 24 2 % - 17.3% your solar pr ormation on r-protection ity.	or examplicity. The c etween pro- 25 26 27 High per roject. Net net meteri [5.	e, solar p apacity 1 ject prop 28 29 formanc formanc metering ng, inclu
Project Performance and be affect that do not face south, are at too steep or reflects a project sequently float too steep or reflects and project sequently float of the sequently flo	ed by the type of sola flat of an angle, or ar (an he used to com or the first 15 years in int 12 is 14 15 excits typically have a front yard credits your electric to financial benefits of y hether credits expire, submit a net metering	r panel and the e shaded will n pare design and is 16.4900 % is 16.4900 % is 16.4900 % is 16.4900 % is 16.4900 % is 16.4900 % panel of it is 16.4900 % panel and the shaded state panel and the shaded state shaded state state state state panel and the shaded state state state panel and the shaded state stat	placement of 1 ot produce as is a expected per version of about 12.8 of about 12.8 eneration from t, For more infi- com/consume rour electric utili	the panels. F much electri formance be 2 23 24 2 3% - 17.3% your solar pr ormation on rr-protection ity.	or examplicity. The c stween pro- 25 26 27 High per roject. Net net meteri	e, solar p apacity ject prop 28 25 formand meterin ng, inclu
Project Performance A solar projects performance can be affect that do not face south, are at too steep or thicks a project sequected production an Your project's estimated capacity factor f log log log log log log log log log Log performance Explanation: Up the shading in the morning from oak tree in Net Metering You may be eligible for nat metering, which credits can have a significant impact on the credit amounts, how credits roll over, and Utility Rebates	ed by the type of sola flat of an angle, or an flat of an angle, or an or the first 15 years in 1 12 13 14 13 in 1 12 13 14 13 in 1 14 13 in 1 14 14 credits your electric b financial benefits of y endits expire, hother credits expire, submit a net metering	r panel and the shaded will n series to the shaded will n start to the shaded will n to the shaded will not shaded with the shaded will not shaded with the shaded will not shaded with the shaded will not shaded with the shaded will not shaded with the shaded will not shaded with the shaded will not shaded with the shaded will not shaded with the shaded will not shaded with the shaded will not shaded with the shaded will not shaded with the shaded will not shaded with the shaded with the shaded will not shaded with the shaded will not shaded with the sh	placement of 1 to t produce as is expected per 19 20 21 2: of about 12.8 eneration from t, For more informance com/consume our electric utili	the panels. F much electri formance be 2 23 24 2 5% - 17.3% your solar p ormation on r-protection ity.	roject. Net net meteri S	e, solar p apacity ject prop 28 29 formand meterin ng, inclu
Project Performance A solar projects performance can be affect that do not face south, are at too steep or traffects a project sequected production an Your project's estimated capacity factor 1 (2) 3 4 15 (2) 7 (8) 7 (10) 7	ed by the type of sola flat of an angle, or and can be used to com or the first 15 years i first 13 13 14 15 exts typically have a n front yard credits your electric b financial benefits of y hether credits sepire, I submit a net metering projects that have as	r panel and the shaded will n pare design and is: 16.4900 % 10.177.18 capacity factor see [linois5FA application to y nart inverters (i	placement of 1 to troduce as its expected per 19 20 21 2: of about 12.8 of about 12.8 of about 12.8 of about 12.8 reference to as to may be eligible may be eligible	the panels. F much electri formance be 2 23 24 2 3% - 17.3% your solar pr ormation on rr-protection ity.	or example icity. The c stween pro- to 25 26 27 High per High per roject. Net net meteri is ed Genera or both.	e, solar p apacity f ject prop 28 29 formanc metering ng, inclu
Project Performance A solar projects performance can be affect that do not frace south, are at too steep or that do not frace south, are at too steep or that do not frace south, are at too steep or light and the south of the south of the light and the south of the south of the performance ILSPA solar projections Net Metering Vou may be eligible for nat metering, which credit and when a sufficient impact on the credit anounts, how credits not lower, and Utility Rebates Comed and Ameren offer rebates for solar multi how are in the south of the south of the relations of the south of the south of the Utility Rebates Comed and Ameren offer rebates for solar multi how for most for condit. Reside storage rebate will be required to germange	ed by the type of solid flat of an angle, or an d can be used to comp or the first 15 years i the type of the type of type tests typically have a n front yard credits your electric b financial benefits of y hether credits expire, submit and metering projects that have a nearby storage (batt rs: in ComEd terrifor).	r panel and the shaded will n pare design and pare design and is: 16 4000 % is: 16 4000 %is: 16 4000 % is: 16 400	placement of 1 pt produce as is expected per a servected per a servected per a servecta per a se	the panels, F much electri formance be a 23 24 2 3% - 17.3% your solar pi ormation on r- protection ity. the Distribut le for either e for either e for either e for either e for either e for either e for either	or example icity. The c stween pro- tween pro- tween pro- ed 22 27 High per roject. Net net meteri is ed Genera or both. st <u>sign up f</u> o take the rate schedu	e, solar p apacity 1 ject prop formanc formanc meterini, ng, inclu tion or or real-t energy ule, or
Project Performance a be affect that do not face south, are at too steep or that do not face south, are at too steep or that do not face south, are at too steep or the sequedad production an Your project's estimated capacity factor of the sequence of the	end by the type of solio flat of an angle, or an d can be used to comp or the first 15 years i 11 12 13 14 13 extent typically have a n front yard credits your electric b financial benefits of y hebther credits expire, submit a net metering projects that have a nearby storage (batt rs: in ComEd terrifor) rs: in ComEd terrifor) regram.	r panel and the schaded will be schaded will be schaded will be schaded will be capacity factor in 192 100 100 100 100 100 100 100 100 bill for excess ge ur solar project see [lines254 age] see [lines254 age] see [lines254 age] to the schade schaded sche	placement of or produce as is expected per is 20 21 21 22 of about 12.8 of about 12.8	the panels, F much electri formance be 2 23 24 2 3% - 17.3% your solar pro- mation on r- motection ity. the Distribut le for either s rebate mus territory wh r an hourly r energy	or example icity. The c titween pro 25 26 27 High per High per roject. Net net meter is ed Genera or both. tt sign up f o take the ate schedu	e, solar p apacity 1 28 29 formanc meterin ng, inclu tion or or real-t energy ule, or
Project Performance and be affect that do not face south, are at too steep or flatchs a project souched production an Your project's estimated capacity factor 12 a 13 a 12 a 13 a 13 b Log performance Light shading in the morning from oak tree in Definition of the source of the source of the Net Metering You may be eligible for nat metering, which credits can have a significant impact on the credit anounts, how credits not lower, and Utility Robates Comfaid and America for solar Simal Commercial custome ricing supply service from Comfail. Realid Comfail on America for bastes for solar Simal Commercial custome ricing supply service from Comfail. Realid Carbona for America for the personal custome ricing supply service from Comfail. Realid Carbona for America for the personal custome ricing supply service from Comfail. Realid Carbona for America for the personal custome ricing supply service from Comfail. Realid Carbona for the required to personal sarticiatia in America for the solar project. Will the project to the custor personal will Generation rebate for the solar project.	ed by the type of solar flat of an angle, or an d can be used to comy or the first 15 years is or the first 15 years is the type of the type of the type set of type of the type of type credits your electric b financial benefits of years projects that have an energy storage libati projects that have an energy storage libati projects that have an energy storage libati program. Yes S 3000	r panel and the e shaded will n pare design and is 164.900 % is 164.900 %is 164.900 % is 164.900 % is 164.900 %is 164.900 % is 164.900 %is 164.9000 % is 164.9000 %is 164.9000 % is 164	placement of of to produce as: a expected per set as a sequence of the set of the order of about 12.8 and the set of the set of the energy to the set of the set of the referred to as to may be eligible energy storages energy storages energy storages to the beat to rage rebute	the panels. F much electri formance be 2 23 24 2 3% - 17.3% your solar p ormation on r- protection ity. the Distribut le for either r rebate must territor y who r an hourty r energy terry?	ior example tritween pro- tritween pro- troject. Net s. ed Genera et alte the ate schedr Yes \$ 1500	e, solar p apacity 1 ect prop formanc formanc meterin ng, inclu tion or or real-t energy ule, or
Project Performance A solar projects expended production an More project's estimated capacity factor miticals a project's estimated capacity factor Light a local local local local local Explanation: Upberformance Light shading in the moming from oak tree in A solar project and a solar projection Not Methering Work Methering Work Methering Work Methering Comedia and Ameren offer robatise for solar mark instruments, how credits rol lower, and w Utility Rebates Comedia and Ameren offer robatise for solar mark instruments and an or projects with Residential and small commercial custome articinas in how a credit solar down and utility and a meren offer robatise for solar acticinas units area for momerial custome acticinas in how area for solar down and acticinate and small commercial custome disclar solar down and the sonale. Will the register to the Generation robatise for the solar project with Generation robatis for the solar project Amount of generation robate	ed by the type of solio flat of an angle, or an of can be used to comp or the first 15 years i 11 12 13 14 13 15 extest typically have a n front yard orcedits your electric to financial benefits of y hother credits expire, solid the senter of projects that have a projects that have a nored the ritrop projects that have a solid the senter supp rored that complete projects that have a projects that have a project that have a solid that the project that have a that and mail comp tritle and small comp tritle and	r panel and the schaded will a schaded will a capacity factor of the schade will be capacity factor will for excess ge our solar project see illinoisSFA application to y mart inverters (terries). Project who take the nercial custom is service from Will the project Amount of a Amount of a Amount of a	placement of 1 of produce as: I expected per 19 20 21 2: of about 12.8 of about 12.8 o	the panels, F much electri formance be 2 23 24 2 3% - 17.3% your solar p ormation on r- protection re- protection tity. the Distribut le for either e rebate mus territory wh e rebate mus territory wh en an bourty r	ior example tritween pro- tritween pro- troject. Net net meteri- sis- ed Generar- or both. st ginu <u>pro-</u> t signu <u>pro-</u> signu <u>p</u>	e, solar p apacity f lect prop formanc formanc metering ng, inclu tion or or real-ti energy dle, or

	ois Solar for <i>I</i>	All
Project Opera	ations, Maintenance	e, Warranties, and Guarantees
Project maintenar	nce (operational upkeep)	INCLUDED - provided by Owner for 15 years
Project repairs (fix	ing malfunctioning project)	INCLUDED – provided by Owner for 15 years
Warranties related	d to improper installation	INCLUDED - provided by Owner for 15 years
Manufacturer's w	arranty for solar panels	INCLUDED – provided by manufacturer for 15 years
Manufacturer's w	arranty for project inverter	NOT INCLUDED
Details of system	performance warranty	The system's electrical output during the first 15 years of the PPA term shall not decrease by more than 15 percent. The Owner shall compensate for any underproduction at the utility's supply rate.
Insurance for loss	or damage to the project	Insurance for damage to the solar project is included for 15 years but does not cover intentional damage or gross negligence.
Warranty ansing r	of lasks from installation	NOTINGUIDED
ystem outright.	oject owner must allow you ti	e option to transfer the system to the new property owner or buy the
system outright. Conditions for transfer	Ject owner must allow you to	is option to transfer the system to the new property owner or buy the = PPA contract, including all rights and obligations therein, is assignable to the notify the Owner at least 30 days before sale of the property.
system outright. Conditions for transfer Conditions for buy-out	yect owner must allow you to Upon sale of the property, if new property owner. Please If you are not in default, you purchase price based on an for more details).	is option to transfer the system to the new property owner or buy the # PPA contract, including all rights and obligations therein, is assignable to the notify the Owner al least 30 days before sale of the property. may purchase the system by giving the Owner 30 days written notice and psying a estimate of the fair market value (see the formula provided in the PPA agreement)



At the end of your PPA, the Project Owner must provide you with three options: (1) have the project removed at no cost to you, (2) buy out (purchase) the system, or (3) renew the PPA. This section provides information about the specific terms that your PPA contains with respect to each option.





Value of Electricity and Savings Estimates

This section estimates the value of the electricity that the solar project will generate, your savings over the first year, and your savings over the duration of your PPA.

The value of electricity generated by your solar project is calculated by multiplying the amount of electricity generated by the solar project (in kWh) by the applicable electricity rate (in cents/kWh). The Disclosure Form uses an estimate of how much electricity from the solar project will be used directly onsite (rather than sent back to the grid). If you are in the service territory of ComEd, Ameren, or MidAmerican, electricity that is used onsite is multiplied by the current utility retail rate, because this electricity *replaces* electricity that *would otherwise* be purchased from the utility at the retail rate. Electricity that is sent back to the grid is multiplied by the current utility supply rate, because these utilities provide bill credits for electricity sent back to the grid at their current supply rate. For other utilities, your Approved Vendor or solar company has entered the crediting rate that your utility uses for electricity sent back to the grid.

If a customer intends to sign up for ComEd, Ameren, or MidAmerican hourly pricing or dynamic / "time of use" pricing (where the price for electricity changes throughout the day), the Disclosure Form will estimate the average applicable retail and supply rates (based on current standard retail and supply rates for that utility). For customers who take supply from an Alternative Retail Electric Supplier ("ARES"), your Approved Vendor or solar company has entered the applicable retail and supply rates.

To estimate the value over the duration of your PPA, the calculation assumes that the value of electricity will increase by 0.5%, 1.7%, or 2.5% per year, and that the amount of electricity that the solar project generates will decrease by 0.5% per year. These estimates do not account for the time value of money. This means that value generated several years in the future is not discounted.

The Disclosure Form also shows your savings as a percentage of the value of energy generated by the solar project. This is calculated by dividing your estimated savings by the estimated value of electricity generated.

For solar projects serving single-family and small multi-family buildings (2-4 units), ILSFA requires that your estimated savings must be at least 50% of the value of the electricity generated over the first year and over the duration of your PPA. In other words, your costs cannot be more than 50% of the value of electricity generated.

For solar projects serving large multi-family buildings (5+ units), upfront costs to the customer are allowed; 50% savings is not required for the first year but is required over the duration of your PPA.

For Non-Profits and Public Facilities, ILSFA requires that your estimates of savings must be at least 50% of the value of the electricity generated in the first year and over the duration of your PPA, unless the owner of the project is applying for the the federal Investment Tax Credit, in which case your estimates of savings must be at least 65% of the value of electricity generated in the first year and over the duration of your PPA.



Signature

Make sure that you fully understand your Disclosure Form and take the time to ask questions before signing.



Glossary

Alternative Retail Electric Supplier (ARES): Companies other than the default electric utility that sell electric supply. Customers may choose to purchase electricity supply from an ARES rather than the default utility. The utility will still deliver the electricity and generally will still bill for both supply and delivery.

Approved Vendor (AV): Solar contractor or developer that enrolls your solar project in the ILSFA program, and also sells the Renewable Energy Credits ("RECs") generated from solar projects to the utility in exchange for an ILSFA incentive payment.

Capacity Factor (CF): The ratio of actual energy generated by a power plant over a time period (usually a year) and the total energy that power plant could have generated over the same time period, if it was optimally sited and ran at full capacity 24 hours a day, 365 days a year. The capacity factor for solar projects may seem relatively low, because solar projects only generate electricity when the sun is shining.

Designee: Entities that have direct interaction with end use customers on behalf of an Approved Vendor. Designees may work as installers, marketing firms, lead generators, and/or sales organizations on behalf of an Approved Vendor. Designees must be registered with the Program.

Distributed Generation (DG): A system that generates electricity and is located on-site, behind a customer's meter, and used primarily to offset a single customer's load; it cannot exceed 2,000 kW AC in size. Distributed generation (also called on-site generation or decentralized generation) is a term describing the generation of electricity for use on-site, rather than transmitting energy over the electric grid from a large, centralized facility (such as a coal-fired power plant).

Distributed Generation Rebate: Under the Illinois Public Utilities Act (220 ILCS 5/16-107.6), ComEd and Ameren must both offer a rebate to customers who install distributed generation projects, including solar, that meet certain eligibility requirements, including being equipped with a smart inverter. ComEd refers to this as the Distributed Generation Rebate. More information from ComEd is available at https://www.comed.com/SmartEnergy/MyGreenPowerConnection/Pages/SolarRebates.aspx.

Energy Storage Rebate: Under the Illinois Public Utilities Act (220 ILCS 5/16-107.6), ComEd and Ameren must both offer a rebate to customers who have distributed generation projects, including solar, that incorporate an energy storage system, like a battery. These systems must meet certain eligibility requirements. The utility rebate for energy storage can be taken in addition to the utility rebate for the underlying distributed generation system.

More information from ComEd is available at <u>https://www.comed.com/SmartEnergy/MyGreenPowerConnection/Pages/SolarRebates.aspx</u>. More information from Ameren is available at <u>https://www.ameren.com/illinois/residential/supply-choice/renewables/rebates</u>.

Federal Tax Credit: The federal government has a tax credit program for solar projects. Owners of residential solar projects may be eligible to deduct up to 30% of the cost of their solar project from their federal income taxes. The Department of Energy's Homeowner's Guide to the Federal Tax Credit for Solar Photovoltaics is available at https://www.energy.gov/sites/default/ files/2023-03/Homeowners_Guide_to_the_Federal_Tax_Credit_for_Solar_PV.pdf. Note that some homeowners may not pay enough in federal income tax to be able to use the full value of the tax credit, but tax credits can be rolled over to use in a subsequent year. Consult a tax professional to discuss your circumstances.

Illinois Power Agency: State Agency that administers the procurement of renewable energy resources to meet Illinois' renewable energy goals, including renewable energy incentive programs like ILSFA.

Illinois Shines: A state program administered by the Illinois Power Agency that supports the development of new photovoltaic distributed generation systems and new photovoltaic community renewable generation projects in Illinois through the purchase of Renewable Energy Credits ("RECs").

Illinois Solar for All (ILSFA): A state program administered by the Illinois Power Agency that supports the development of new photovoltaic distributed generation and new community renewable generation projects that serve low- and middle-income households, and non-profits and public facilities that serve and are located in environmental justice communities or income-eligible communities.

Interconnection: The process of connecting a solar project to the electric grid, which requires approval from the utility that operates the electric grid. All ILSFA projects must be interconnected to the electric grid.



Glossary

Kilowatt (kW): 1,000 watts of electrical power.

Kilowatt-hour (kWh): 1,000 watts of power used for one hour. Electrical energy consumption and production is measured in kWh. For example, if a 100-watt lightbulb is used for 10 hours, it will use 100 watts of electricity per hour, or 1000 watts over 10 hours. Over the 10-hour period, the lightbulb used 1 kWh.

Mechanic's lien waiver: A document, often provided to a customer upon completion of payment, that indicates that a contractor is waiving its right to file a mechanic's lien. A mechanic's lien is used by contractors to ensure that they are paid; the lien gives the contractor a security interest in the customer's property.

Net Metering: Metering and billing arrangement to compensate distributed energy generation (DG) system owners for generation that is exported to the utility grid.

Program Administrator: The entity responsible for running day-to-day operations of Illinois Solar for All, which is the non-profit Elevate.

Project Installer: The company that will complete the installation work for the solar project.

Project Lessor: The company that owns the solar project and enters into the installation contract / lease agreement with the customer.

Renewable Energy Credits (RECs): The environmental attributes of 1 MWh of electricity generated by a renewable generator, such as a solar project. Note that 1 MWh = 1000 kW.

Smart Inverter Rebate: Under the Illinois Public Utilities Act (220 ILCS 5/16-107.6), ComEd and Ameren must both offer a rebate to customers who install distributed generation projects, including solar, that meet certain eligibility requirements, including being equipped with a smart inverter. Ameren sometimes refers to this as the Smart Inverter Rebate. More information from Ameren is available at https://www.ameren.com/illinois/residential/supply-choice/renewables/rebates.